

Arnco

ReSeal™ Volume Chart

INTRODUCTION :

Arnco's ReSeal™ Volume Chart has been produced as an aid for Arnco's customers. We believe you will find this comprehensive chart both useful and easy to use. Just find the tire size designation for the tire you want to add sealant to in the column labeled "Tire", and look across to find the volume of sealant to use in the shaded column labeled "Ounces". Reading the following sections will help you to more fully utilize the information contained in this chart.

CAUTIONS :

While care has been taken to ensure the accuracy of the volumes in the following chart, Arnco is not responsible for any loss or damage that may result from its use.

Use of ReSeal in some high speed tires may result in vibration problems. The customer should determine the suitability of ReSeal for any given application.

No allowance has been made for variations which will occur among different tire brands for a given tire size and rating.

SPECIAL FEATURES :

- Price column :

This column can be used to write in the pricing for sealing various sizes of tires. Or, alternatively, you can have Arnco do it for you. Just let us know what price level(s) you want to use and we will produce a customized version of this chart with all the prices filled in.

- Section III :

This section contains all tires which lack a rim diameter as part of their designation. This only applies to type VII aircraft tires, bicycle tires, some industrial tires, and one special passenger tire. As section II is organized by rim diameter, it is much easier to locate those tires without a rim diameter in their designation in Section III.

ASSUMPTIONS :

The volumes given in the following chart assume the tires are being sealed with ReSeal™. The use of other sealants may require different volumes.

CHART COLUMN 1 : **Rim Diameter**

A separate column of rim diameter is included in this chart because bicycle tires, and some aircraft tires, do not include a rim diameter in their designations.

CHART COLUMN 2 : **Tire Designation**

One of the first things you may notice is that there seems to be a lot of unnecessary spaces in the tire designations used in this chart. The actual designations used on tires do not contain most of the spaces shown. The reason for these extra spaces is to align identical attributes for each tire vertically so that their precise meanings can be more easily understood.

CHART COLUMN 3 : **Tire Class**

The tires listed in this chart have each been sorted into one of eight classes :
Agricultural (AGR), Aircraft (AIR), Bicycle (CYB), Motorcycle (CYM),
Industrial (IND), Off-The-Road (OTR), Passenger (PAS), and Truck & Bus (T&B).

CHART COLUMN 4 : **Ounces**

The volumes shown in this column have been calculated to provide a uniform thickness of sealant for all the tires in each tire class except for passenger tires which have lower thicknesses for low aspect ratio tires to reduce the likelihood of vibration.

CHART COLUMN 5 : **Price**

This column has been left blank so that you can write in prices if desired.

THE CHART COLUMN HEADINGS :

The five column headings of the chart are labeled : Rim Diameter, Tire Designation, Tire Class, Ounces & Price.

CHART COLUMN EXAMPLE

1	2	3	4	5
Rim Diameter	Tire Designation	Tire Class	Ounces	Price
4	2.80 - 4 NHS	IND	4	
4	2.80/2.50 - 4 NHS	IND	4	
4	3.00 - 4	IND	6	
4	4.00 - 4	IND	8	
4	4.10 - 4 NHS	IND	6	

LISTS OF ABBREVIATIONS :

Abbreviations Used in Tire Prefixes :

AT	All Terrain Tire
B	Aircraft Tire Rim Width to Section Width Ratio Designation
C	Aircraft Tire Rim Width to Section Width Ratio Designation
CT	Inverted Flange Tire
E	Energy Efficient Tire
H	Aircraft Tire Rim Width to Section Width Ratio Designation
LT	Light Truck Tire
M	Motorcycle Tire
P	Passenger Car Tire
S	Flotation Service Tire
T	Temporary Service (Spare) Tire

Abbreviations Used in Tire Suffixes :

DT	OTR Tire for Desert Terrain (Sand)
FI	Farm Implement Tires
HC	Truck & Bus Tire for use with HC contour rims
K	Compactor Tire
LT	Light Truck Tire
MH	Mobile Home Tire
ML	Mining & Logging Tire
M/C	15" Diameter Motorcycle Tire for use with specific rims
NHS	Not for Highway Service Tire
SL	Service Limited to Agriculture Tire
SS	Skid Steer Tire
ST	Special Trailer Tire
TG	Tractor / Grader Tire
TR	Truck & Bus Tire for use with specific rims.
VA	Agricultural Tire for use with VA contour rims

Other abbreviations used in this chart :

AGR	Agricultural Tires
AIR	Aircraft Tires
CYB	Bicycle Tires
CYM	Motorcycle Tires
IND	Industrial Tires
OTR	Off-The-Road Tires
PAS	Passenger Car Tires
T&B	Truck & Bus Tires

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
4			2.80/2.50 - 4 NHS	IND	6	
4			2.80 - 4 NHS	IND	6	
4			3.00 - 4	IND	8	
4			4.00 - 4	IND	10	
4			4.10 - 4 NHS	IND	8	
4			4.10/3.50 - 4 NHS	IND	8	
4			4.80 - 4 NHS	IND	12	
4			5.00 - 4	AIR	6	
4			8.00 - 4	AIR	10	
5			3.40/3.00 - 5 NHS	IND	8	
5			3.40 - 5 NHS	IND	8	
5			3.50 - 5	IND	10	
5	11	x	4.00 - 5 NHS	IND	10	
5			4.10/3.50 - 5 NHS	IND	10	
5			4.10 - 5 NHS	IND	10	
5			5.00 - 5	AIR	6	
6			4.10 - 6 NHS	IND	10	
6			4.10/3.50 - 6 NHS	IND	10	
6	13	x	5.00 - 6 NHS	IND	12	
6			5.30 - 6 NHS	IND	16	
6			5.30/4.50 - 6 NHS	IND	16	
6	14.5	x	5.5 - 6	AIR	6	
6			6.00 - 6	AIR	8	
6	15	x	6.0 - 6	AIR	8	
6	15	x	6.00 - 6 NHS	IND	18	
6	17.5	x	6.25 - 6	AIR	8	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price		
6	13	x	6.50	- 6 NHS	IND	16		
6			6.90/6.00	- 6 NHS	IND	24		
6			6.90	- 6 NHS	IND	24		
6			7.00	- 6	AIR	10		
6			18	x	7/4.50F	NHS	IND	24
6	13	x	7.70	- 6 NHS	IND	12		
6			8.00	- 6	AIR	10		
6			8.00	- 6 NHS	IND	28		
6			14	x	8	- 6 NHS	IND	22
6					8.50	- 6	AIR	14
6			9.00	- 6	AIR	14		

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
7		4.80	- 7	NHS	IND	12
7	23.5 x	8.75	- 7		AIR	12
8		4.00	- 8		AGR	14
8		4.00	- 8		IND	16
8	16 x	4.4			AIR	6
8	15 x	4 ½	- 8		IND	14
8	15 x	4 ½	R 8		IND	14
8		4.80/4.00	- 8		IND	16
8		4.80	- 8		IND	16
8		4.80/4.00	- 8	NHS	IND	16
8		4.80	- 8	NHS	IND	16
8		125 / 75	- 8		IND	14
8		125 / 75	R 8		IND	14
8		5	- 8		AGR	16
8		5.00	- 8		IND	18
8		5.00	R 8		IND	20
8	16 x	5.50	- 8	NHS	IND	18
8	18 x	5.5			AIR	8
8		5.70	- 8		IND	20
8		5.70/5.00	- 8		IND	20
8		5.70	- 8	NHS	IND	20
8		5.70/5.00	- 8	NHS	IND	20
8	17.5 x	5.75	- 8		AIR	8
8	18 x	5.75	- 8		AIR	8
8		150 / 75	- 8		IND	20
8		150 / 75	R 8		IND	20
8	16 x	6.00	- 8		IND	20
8	16 x	6.00	R 8		IND	20
8		6.50	- 8		AIR	10
8	16 x	6.50	- 8	NHS	IND	20
8	16.5 x	6.5	- 8		IND	20
8	19.5 x	6.75	- 8		AIR	10

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
8		7.00	- 8	AIR	10	
8	18	x 7		IND	26	
8	18	x 7	- 8	IND	26	
8	18	x 7	R 8	IND	26	
8	18	x 7	- 8	NHS	IND	24
8	AT 20	x 7	- 8	IND	28	
8		180 / 70	- 8	IND	24	
8		180 / 70	R 8	IND	24	
8	16	x 7.50	- 8	NHS	IND	24
8	22	x 8.0	- 8	AIR	12	
8	18	x 8.50	- 8	NHS	IND	28
8	18.5	x 8.5	- 8	IND	30	
8	18	x 9	- 8	NHS	IND	32
8	18	x 9.50	- 8	NHS	IND	32
8	18.5	x 9.5	- 8	IND	32	
8	AT 18	x 10	- 8	IND	36	
8	AT 20	x 10	- 8	IND	40	
8	AT 22	x 10	- 8	IND	44	
8	AT 23	x 10	- 8	IND	46	
8	AT 18	x 11	- 8	IND	38	
8	AT 20	x 11	- 8	IND	42	
8	21	x 11.00	- 8	NHS	IND	46
8	AT 21	x 11	- 8	IND	44	
8	22	x 11.00	- 8	NHS	IND	48
8	AT 22	x 11	- 8	IND	46	
8	AT 21	x 12	- 8	IND	50	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
9			4.00 - 9	SL	AGR	16
9			4.80 - 9	NHS	IND	16
9			4.80/4.00 - 9	NHS	IND	16
9			5.00 - 9		IND	20
9			6.00 - 9		IND	26
9			6.00 R 9		IND	26
9			6.90/6.00 - 9		IND	28
9			6.90 - 9		IND	28
9			6.90 - 9	NHS	IND	28
9			6.90/6.00 - 9	NHS	IND	28
9	AT 20	x 7	- 9		IND	28
9	AT 22	x 7	- 9		IND	30
9		200 / 75	- 9		IND	32
9		200 / 75	R 9		IND	32
9	21	x 8	- 9		IND	32
9	21	x 8	- 9	NHS	IND	32
9	AT 21	x 8	- 9		IND	32
9	21	x 9	- 9	NHS	IND	36
9	AT 18	x 11	- 9		IND	38
9	AT 20	x 11	- 9		IND	42
9	AT 22	x 11	- 9		IND	46
9	AT 25	x 12	- 9		IND	58
9	AT 24	x 13	- 9		IND	60
10	18	x 4.25	- 10		AIR	6
10	18	x 4.4	- 10		AIR	6
10		6.50	- 10		AIR	10
10		6.50	- 10		IND	32
10		6.50	R 10		IND	32
10		6.50	- 10	NHS	IND	32
10	22	x 6.50	- 10		AIR	10
10	H 19.5	x 6.75	- 10		AIR	10
10	22	x 6.75	- 10		AIR	10
10	AT 21	x 7	- 10		IND	30

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
10	21	x 7.25	- 10	AIR	10
10		7.50	- 10	IND	40
10		7.50/9.00	- 10	IND	40
10		7.50	R 10	IND	40
10		7.50 L	- 10 NHS	IND	40
10		7.50/9.00	- 10 NHS	IND	40
10		7.50	- 10 NHS	IND	40
10		7.50	- 10 SL	AGR	38
10	20	x 7.50	- 10 NHS	IND	28
10	24	x 7.7		AIR	12
10	22	x 7.75	- 10	AIR	12
10		x 8.00	- 10 NHS	IND	28
10	AT 20	x 8	- 10	IND	32
10	20.5	x 8.0	- 10	IND	32
10	22	x 8.0	- 10	AIR	12
10	AT 22	x 8	- 10	IND	34
10	23	x 8	- 10 NHS	IND	36
10	AT 25	x 8	- 10	IND	38
10		8.50	- 10	AIR	16
10		225 / 75	- 10	IND	40
10		225 / 75 R 10		IND	40
10		9.00	- 10 NHS	IND	50
10		9.00 L	- 10 NHS	IND	48
10		9.00	- 10 SL	AGR	48
10	AT 22	x 9	- 10	IND	38
10	23	x 9	- 10	IND	40
10	27	x 9	- 10 NHS	IND	48
10	AT 18	x 10	- 10	IND	36
10	AT 20	x 10	- 10	IND	40
10	AT 22	x 10	- 10	IND	44
10	AT 18	x 11	- 10	IND	38
10	AT 20	x 11	- 10	IND	42
10	AT 22	x 11	- 10	IND	46
10	AT 24	x 11	- 10	IND	50
10	29	x 11.0	- 10	AIR	22
10	AT 25	x 12	- 10	IND	58
10		15 L	- 10 NHS	IND	78
10	27	x 15	- 10 NHS	IND	78
10.5	B 24	x 9.5	- 10.5	AIR	16

Arngo

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
11	AT 23	x 8	- 11	IND	36	
11	AT 24	x 8	- 11	IND	38	
11	AT 24	x 9	- 11	IND	42	
11		10.00	- 11	AIR	20	
12		4.00	- 12	SL	AGR	18
12		4.50	- 12		IND	22
12		4.80/4.00	- 12		IND	20
12		4.80	- 12		IND	20
12		4.80	- 12	NHS	IND	20
12		4.80/4.00	- 12	NHS	IND	20
12		5	- 12		AGR	20
12		5.30/4.50	- 12		IND	22
12		5.30	- 12		IND	22
12		5.30/4.50	- 12	NHS	IND	22
12		5.30	- 12	NHS	IND	22
12		5.70	- 12	NHS	IND	26
12	P	145 / 80	- 12		PAS	8
12	P	145 / 80	R 12		PAS	8
12	22	x 5.75	- 12		AIR	8
12		6	- 12		AGR	26
12	P	155 / 80	- 12		PAS	10
12	P	155 / 80	R 12		PAS	10
12	P	165 / 70	- 12		PAS	10
12	P	165 / 70	R 12		PAS	10
12		7.00	- 12	NHS	IND	40
12		7.00	R 12	NHS	IND	38
12	23	x 7.0	- 12		AIR	12
12	24	x 7.25	- 12		AIR	12
12	22	x 7.50	- 12	NHS	IND	34
12	22	x 8.00	- 12	NHS	IND	34
12	23	x 8	- 12	NHS	IND	36
12		8.25	- 12		IND	48
12	23	x 8.50	- 12		IND	36
12	23	x 8.50	- 12	NHS	IND	36

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
12		23.5 x 8.5	- 12	IND	38	
12	C	24.5 x 8.5	- 12	AIR	14	
12		23 x 9	- 12	NHS	40	
12		28 x 9.0	- 12	AIR	18	
12		23 x 9.50	- 12	NHS	44	
12			250 / 75 - 12	IND	52	
12			250 / 75 R 12	IND	52	
12		23 x 10	- 12	NHS	46	
12		27 x 10	- 12	IND	52	
12		27 x 10	- 12	NHS	52	
12		23 x 10.50	- 12	NHS	46	
12			11.00 - 12	AIR	26	
12		23.5 x 11	- 12	NHS	50	
12		24 x 12	- 12	NHS	56	
12		25 x 12	- 12	NHS	58	
12		26 x 12.00	- 12	NHS	60	
12	H	31 x 13.0	- 12	AIR	26	
12			15.00 - 12	AIR	34	
12.31		16 x 1.75		CYB	4	
12.31		16 x 2.125		CYB	6	
12.48		16 x 1 3/4		CYB	4	
12.50		8.90	- 12.50	AIR	16	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
13	21	x 4	IND	20	
13	T	105 / 80 - 13	PAS	6	
13	T	105 / 80 R 13	PAS	6	
13	22	x 4½	IND	26	
13	T	125 / 80 - 13	PAS	8	
13	T	125 / 80 R 13	PAS	8	
13	23	x 5	IND	30	
13	P	145 / 80 - 13	PAS	10	
13	P	145 / 80 R 13	PAS	10	
13	25	x 6	IND	34	
13	P	155 / 70 - 13	PAS	10	
13	P	155 / 70 R 13	PAS	10	
13	P	155 / 80 - 13	PAS	10	
13	P	155 / 80 R 13	PAS	10	
13	P	165 / 65 R 13	PAS	10	
13	P	165 / 70 - 13	PAS	10	
13	P	165 / 70 R 13	PAS	10	
13	P	165 / 75 - 13	PAS	10	
13	P	165 / 75 R 13	PAS	10	
13	P	165 / 80 - 13	PAS	10	
13	P	165 / 80 R 13	PAS	10	
13		6.50 - 13	ST	T&B	12
13		A 78 - 13	PAS	10	
13		A 78 - 13	ST	T&B	10
13		B R 78 - 13	PAS	12	
13	P	175 / 70 - 13	PAS	10	
13	P	175 / 70 R 13	PAS	10	
13	LT	175 / 75 - 13	T&B	12	
13	LT	175 / 75 R 13	T&B	12	
13	P	175 / 75 - 13	PAS	12	
13	P	175 / 75 R 13	PAS	12	
13	P	175 / 80 - 13	PAS	12	
13	P	175 / 80 R 13	PAS	12	
13	ST	175 / 80 R 13	T&B	12	
13		B 78 - 13	PAS	12	
13		B 78 - 13	ST	T&B	12
13		A 70 - 13	PAS	12	
13		C 78 - 13	PAS	12	
13		C 78 - 13	ST	T&B	12
13	P	185 / 60 - 13	PAS	10	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
13	P 185 / 60 R 13	PAS	10	
13	P 185 / 70 - 13	PAS	12	
13	P 185 / 70 R 13	PAS	12	
13	P 185 / 75 - 13	PAS	12	
13	P 185 / 75 R 13	PAS	12	
13	P 185 / 80 - 13	PAS	12	
13	P 185 / 80 R 13	PAS	12	
13	ST 185 / 80 R 13	T&B	12	
13	B 70 - 13	PAS	12	
13	24 x 7.50 - 13 LT	T&B	12	
13	24 x 7.50 R 13 LT	T&B	12	
13	B R 70 - 13	PAS	12	
13	P 195 / 60 - 13	PAS	12	
13	P 195 / 60 R 13	PAS	12	
13	P 195 / 65 R 13	PAS	12	
13	P 195 / 70 - 13	PAS	12	
13	P 195 / 70 R 13	PAS	12	
13	D 78 - 13	PAS	12	
13	A 60 - 13	PAS	12	
13	P 205 / 60 - 13	PAS	12	
13	P 205 / 60 R 13	PAS	12	
13	P 205 / 70 - 13	PAS	14	
13	P 205 / 70 R 13	PAS	14	
13	B 60 - 13	PAS	14	
13	B R 60 - 13	PAS	14	
13	P 215 / 50 - 13	PAS	12	
13	P 215 / 50 R 13	PAS	12	
13	P 215 / 60 - 13	PAS	14	
13	P 215 / 60 R 13	PAS	14	
13	P 225 / 75 - 13	PAS	14	
13	P 225 / 75 R 13	PAS	14	
13	B 50 - 13	PAS	14	
13	P 235 / 50 - 13	PAS	14	
13	P 235 / 50 R 13	PAS	14	
13	P 235 / 60 - 13	PAS	14	
13	P 235 / 60 R 13	PAS	14	
13	P 245 / 50 - 13	PAS	14	
13	P 245 / 50 R 13	PAS	14	
13	H 31 x 9.75 - 13	AIR	20	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
14	M	90 / 100 - 14	CYM	6	
14	T	105 / 70 - 14	PAS	6	
14	T	105 / 70 R 14	PAS	6	
14	T	115 / 70 - 14	PAS	8	
14	T	115 / 70 R 14	PAS	8	
14	T	125 / 70 - 14	PAS	8	
14	T	125 / 70 R 14	PAS	8	
14	T	135 / 70 - 14	PAS	8	
14	T	135 / 70 R 14	PAS	8	
14	T	135 / 80 - 14	PAS	8	
14	T	135 / 80 R 14	PAS	8	
14		6.00 - 14	SL	34	
14	E	165 / 65 R 14	PAS	10	
14	P	165 / 80 - 14	PAS	10	
14	P	165 / 80 R 14	PAS	10	
14		26 x 6.6	AIR	12	
14		B 78 - 14	PAS	12	
14		25.75 x 6.75	AIR	12	
14		26 x 6.75	AIR	12	
14	P	175 / 60 - 14	PAS	10	
14	P	175 / 60 R 14	PAS	10	
14	E	175 / 65 R 14	PAS	12	
14	P	175 / 65 R 14	PAS	12	
14	P	175 / 70 - 14	PAS	12	
14	P	175 / 70 R 14	PAS	12	
14	LT	175 / 75 - 14	T&B	12	
14	LT	175 / 75 R 14	T&B	12	
14	P	175 / 75 - 14	PAS	12	
14	P	175 / 75 R 14	PAS	12	
14	P	175 / 80 - 14	PAS	12	
14	P	175 / 80 R 14	PAS	12	
14		7.00 - 14	LT	14	
14		7.00 R 14	LT	14	
14		C 78 - 14	PAS	12	
14		D R 78 - 14	PAS	12	
14	P	185 / 60 - 14	PAS	12	
14	P	185 / 60 R 14	PAS	12	
14	P	185 / 65 R 14	PAS	12	
14	P	185 / 70 - 14	PAS	12	
14	P	185 / 70 R 14	PAS	12	

Arngo

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
14	LT	185 / 75 - 14	T&B	12
14	LT	185 / 75 R 14	T&B	12
14	P	185 / 75 - 14	PAS	12
14	P	185 / 75 R 14	PAS	12
14	P	185 / 80 - 14	PAS	12
14	P	185 / 80 R 14	PAS	12
14		D 78 - 14	PAS	12
14		E R 78 - 14	PAS	12
14		7.50 - 14	AIR	14
14		7.50 - 14 SL	AGR	38
14		E 78 - 14	PAS	14
14	P	195 / 60 - 14	PAS	12
14	P	195 / 60 R 14	PAS	12
14	P	195 / 65 R 14	PAS	14
14	E	195 / 70 R 14	PAS	14
14	P	195 / 70 - 14	PAS	14
14	P	195 / 70 R 14	PAS	14
14	LT	195 / 75 - 14	T&B	14
14	LT	195 / 75 R 14	T&B	14
14	P	195 / 75 - 14	PAS	14
14	P	195 / 75 R 14	PAS	14
14		E 78 - 14 ST	T&B	14
14		D 70 - 14	PAS	14
14		F R 78 - 14	PAS	14
14		E R 78 - 14 LT	T&B	14
14		E 78 - 14 LT	T&B	14
14		7.9 - 14 LT	T&B	14
14		F 78 - 14	PAS	14
14		F 78 - 14 ST	T&B	14
14	H 26.5 x 8.0	- 14	AIR	14
14		E 70 - 14	PAS	14
14	P	205 / 60 - 14	PAS	12
14	P	205 / 60 R 14	PAS	12
14	P	205 / 70 - 14	PAS	12
14	P	205 / 70 R 14	PAS	12
14	P	205 / 75 - 14	PAS	14
14	P	205 / 75 R 14	PAS	14
14	ST	205 / 75 R 14	T&B	14
14		E R 70 - 14	PAS	14
14		F 70 - 14	PAS	14

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
14		F 70 - 14	ST	T&B	14
14		G R 78 - 14		PAS	14
14		G 78 - 14		PAS	16
14		G 78 - 14	LT	T&B	16
14		G 78 - 14	ST	T&B	16
14	P	215 / 60 - 14		PAS	14
14	P	215 / 60 R 14		PAS	14
14	P	215 / 65 R 14		PAS	14
14	P	215 / 70 - 14		PAS	14
14	P	215 / 70 R 14		PAS	14
14	LT	215 / 75 - 14		T&B	16
14	LT	215 / 75 R 14		T&B	16
14	P	215 / 75 - 14		PAS	16
14	P	215 / 75 R 14		PAS	16
14	ST	215 / 75 R 14		T&B	16
14		8.5 R 14	LT	T&B	14
14		8.5 L - 14	SL	AGR	46
14	26 x	8.50 - 14	LT	T&B	14
14	26 x	8.50 R 14	LT	T&B	14
14	27 x	8.50 - 14	LT	T&B	16
14	27 x	8.50 R 14	LT	T&B	16
14		F R 70 - 14		PAS	16
14		H 78 - 14		PAS	16
14		H 78 - 14	ST	T&B	16
14		G 70 - 14		PAS	16
14		G R 70 - 14		PAS	16
14	P	225 / 60 - 14		PAS	14
14	P	225 / 60 R 14		PAS	14
14	P	225 / 70 - 14		PAS	16
14	P	225 / 70 R 14		PAS	16
14	P	225 / 75 - 14		PAS	16
14	P	225 / 75 R 14		PAS	16
14		9 - 14	LT	T&B	18
14		E 60 - 14		PAS	16
14		E R 60 - 14		PAS	16
14		H 70 - 14		PAS	16
14		H 70 - 14	ST	T&B	16
14	P	235 / 60 - 14		PAS	16
14	P	235 / 60 R 14		PAS	16
14	P	235 / 70 - 14		PAS	16

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation				Tire Class	Ounces	Price
14	P	235	/	70	R 14	PAS	16	
14		F	R	60	- 14	PAS	16	
14		9.5	L		- 14	SL	56	
14	27	x	9.50		- 14	LT	16	
14	27	x	9.50		R 14	LT	16	
14	29	x	9.50		- 14	LT	18	
14	29	x	9.50		R 14	LT	18	
14		F		60	- 14	PAS	16	
14	P	245	/	50	- 14	PAS	16	
14	P	245	/	50	R 14	PAS	16	
14	P	245	/	60	- 14	PAS	16	
14	P	245	/	60	R 14	PAS	16	
14	P	245	/	70	- 14	PAS	18	
14	P	245	/	70	R 14	PAS	18	
14		G	R	60	- 14	PAS	16	
14		G		60	- 14	PAS	16	
14	P	255	/	55	R 14	PAS	16	
14	P	255	/	60	- 14	PAS	18	
14	P	255	/	60	R 14	PAS	18	
14	P	265	/	50	- 14	PAS	18	
14	P	265	/	50	R 14	PAS	18	
14	P	265	/	60	- 14	PAS	18	
14	P	265	/	60	R 14	PAS	18	
14	P	275	/	60	- 14	PAS	20	
14	P	275	/	60	R 14	PAS	20	
14		G		50	- 14	PAS	18	
14		11			- 14	LT	22	
14		11	L		- 14	SL	62	
14	34	x	11			AIR	24	
14		L		60	- 14	PAS	20	
14		M		50	- 14	PAS	22	
14	37	x	14.0		- 14	AIR	34	
14.31	18	x	1.625			CYB	4	
14.5		7		- 14.5	LT	T&B	14	
14.5		7		- 14.5	MH	T&B	14	
14.5		8		- 14.5	LT	T&B	14	
14.5		8		- 14.5	MH	T&B	14	
14.5		9		- 14.5	LT	T&B	18	
14.5		9		- 14.5	MH	T&B	18	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation		Tire Class	Ounces	Price
15		4.00	- 15	SL	AGR	22
15	T	105 / 70	- 15		PAS	6
15	T	105 / 70	R 15		PAS	6
15	T	115 / 70	- 15		PAS	8
15	T	115 / 70	R 15		PAS	8
15	T	125 / 70	- 15		PAS	8
15	T	125 / 70	R 15		PAS	8
15	T	125 / 90	- 15		PAS	8
15	T	125 / 90	R 15		PAS	8
15		5.00	- 15	SL	AGR	26
15	T	135 / 70	- 15		PAS	8
15	T	135 / 70	R 15		PAS	8
15	T	135 / 80	- 15		PAS	10
15	T	135 / 80	R 15		PAS	10
15	T	135 / 90	- 15		PAS	10
15	T	135 / 90	R 15		PAS	10
15		5.50	- 15		IND	32
15	M	140 / 80	- 15	M/C	CYM	10
15	M	140 / 90	- 15	M/C	CYM	10
15	M	140 / 90	R 15	M/C	CYM	10
15	M	U	90 - 15	M/C	CYM	10
15		5.70	- 15	NHS	IND	28
15		5.90	- 15	SL	AGR	32
15	M	V	85 - 15	M/C	CYM	10
15	M	V	90 - 15	M/C	CYM	12
15	M	150 / 90	R 15	M/C	CYM	12
15		6.00	- 15		IND	34
15		6.10	- 15	LT	T&B	10
15		6.10	R 15	LT	T&B	10
15	P	155 / 80	- 15		PAS	10
15	P	155 / 80	R 15		PAS	10
15		A	78 - 15		PAS	10
15		6.40	- 15	SL	AGR	34
15	P	165 / 80	- 15		PAS	12
15	P	165 / 80	R 15		PAS	12
15	M	170 / 70	- 15	M/C	CYM	12
15	M	170 / 80	- 15	M/C	CYM	12
15	M	170 / 80	R 15	M/C	CYM	12
15		6.70	- 15	LT	T&B	14
15		6.70	R 15	LT	T&B	14

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
15		6.70 - 15	SL	AGR	36
15		7.00 - 15		IND	44
15		7.00 R 15		IND	44
15		7.00 - 15	LT	T&B	16
15		7.00 R 15	LT	T&B	16
15		7.00 L - 15	NHS	IND	44
15		7.00 - 15	NHS	IND	46
15		7.00 - 15	SS	IND	46
15		7.00 - 15	TR	T&B	16
15		7.00 R 15	TR	T&B	16
15		7.10 - 15	LT	T&B	16
15		7.10 R 15	LT	T&B	16
15	P	185 / 60 - 15		PAS	12
15	P	185 / 60 R 15		PAS	12
15	P	185 / 65 R 15		PAS	12
15	P	185 / 70 - 15		PAS	12
15	P	185 / 70 R 15		PAS	12
15		E 78 - 15		PAS	14
15		E 78 - 15	ST	T&B	14
15		7.50 - 15		IND	50
15		7.50 R 15		IND	48
15		7.50 - 15	LT	T&B	18
15		7.50 R 15	LT	T&B	18
15		7.50 - 15	30 NHS	IND	46
15		7.50 - 15	NHS	OTR	52
15		7.50 - 15	NHS	IND	52
15		7.5 L - 15	SL	AGR	46
15		7.50 - 15	TR	T&B	18
15		7.50 R 15	TR	T&B	18
15	25 x	7.50 - 15	NHS	A&I	38
15		7.60 - 15	SL	AGR	44
15	P	195 / 50 - 15		PAS	12
15	P	195 / 50 R 15		PAS	12
15	P	195 / 60 - 15		PAS	12
15	P	195 / 60 R 15		PAS	12
15	P	195 / 65 R 15		PAS	14
15	P	195 / 70 - 15		PAS	14
15	P	195 / 70 R 15		PAS	14
15	LT	195 / 75 - 15		T&B	14
15	LT	195 / 75 R 15		T&B	14

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
15	P		195 / 75 - 15	PAS	14	
15	P		195 / 75 R 15	PAS	14	
15	P		195 / 80 - 15	PAS	14	
15	P		195 / 80 R 15	PAS	14	
15			F R 78 - 15	PAS	14	
15			F 78 - 15	PAS	14	
15	29	x 7.7		AIR	14	
15			7.75 - 15	ST T&B	14	
15			F 78 - 15	ST T&B	14	
15	27	x 7.75		AIR	14	
15	28	x 8		IND	44	
15	29	x 8		NHS IND	44	
15	30	x 8		NHS IND	46	
15			G 78 - 15	PAS	14	
15			G 78 - 15	ST T&B	14	
15	P		205 / 50 - 15	PAS	12	
15	P		205 / 50 R 15	PAS	12	
15	P		205 / 55 R 15	PAS	12	
15	P		205 / 60 - 15	PAS	14	
15	P		205 / 60 R 15	PAS	14	
15	P		205 / 65 R 15	PAS	14	
15			205 / 70 R 15	IND	42	
15	P		205 / 70 - 15	PAS	14	
15	P		205 / 70 R 15	PAS	14	
15	LT		205 / 75 - 15	T&B	14	
15	LT		205 / 75 R 15	T&B	14	
15	P		205 / 75 - 15	PAS	14	
15	P		205 / 75 R 15	PAS	14	
15	ST		205 / 75 R 15	T&B	14	
15			8.15 - 15	IND	46	
15			8.15 - 15	NHS IND	48	
15			G R 78 - 15	PAS	16	
15			8.25 - 15	IND	60	
15			8.25 R 15	IND	58	
15			8.25 - 15	NHS IND	60	
15			8.25 - 15	SS IND	58	
15			8.25 - 15	TR T&B	20	
15			8.25 R 15	TR T&B	20	
15			F 70 - 15	PAS	16	
15			G 78 - 15	LT T&B	16	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation				Tire Class	Ounces	Price
15			G R 78 - 15	LT	T&B	16	
15			H R 78 - 15		PAS	16	
15	P		215 / 60 - 15		PAS	14	
15	P		215 / 60 R 15		PAS	14	
15	P		215 / 65 R 15		PAS	14	
15	P		215 / 70 - 15		PAS	16	
15	P		215 / 70 R 15		PAS	16	
15	LT		215 / 75 - 15		T&B	16	
15	LT		215 / 75 R 15		T&B	16	
15	P		215 / 75 - 15		PAS	16	
15	P		215 / 75 R 15		PAS	16	
15			8.5 / 90 - 15	K	OTR	52	
15	27	x	8.50 - 15	NHS	AGR	44	
15	27	x	8.50 - 15	NHS	IND	44	
15	28	x	8.50 - 15	LT	T&B	16	
15	28	x	8.50 R 15	LT	T&B	16	
15			8.55 - 15	ST	T&B	16	
15			H 78 - 15		PAS	16	
15			H 78 - 15	ST	T&B	16	
15			G 70 - 15		PAS	16	
15			J R 78 - 15		PAS	16	
15			G R 70 - 15		PAS	16	
15			J 78 - 15		PAS	16	
15			H 78 - 15	LT	T&B	16	
15			H R 78 - 15	LT	T&B	16	
15	30	x	8.8 R 15		AIR	20	
15			L 78 - 15		PAS	18	
15	P		225 / 50 - 15		PAS	14	
15	P		225 / 50 R 15		PAS	14	
15	P		225 / 55 R 15		PAS	14	
15	P		225 / 60 - 15		PAS	16	
15	P		225 / 60 R 15		PAS	16	
15	P		225 / 65 R 15		PAS	16	
15	P		225 / 70 - 15		PAS	16	
15	P		225 / 70 R 15		PAS	16	
15	P		225 / 75 R 15		IND	50	
15	P		225 / 75 - 15		PAS	16	
15	P		225 / 75 R 15		PAS	16	
15	ST		225 / 75 R 15		T&B	16	
15			H 70 - 15		PAS	16	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
15		9.00	- 15	DT	OTR	60
15		9.00	R 15	DT	OTR	60
15		9	- 15	LT	T&B	20
15		9	R 15	LT	T&B	20
15		9.00	- 15	NHS	IND	72
15		9.00	- 15	TR	T&B	24
15		9.00	R 15	TR	T&B	24
15		L R 78	- 15		PAS	18
15	28 x 9		- 15		IND	46
15	28 x 9		- 15	NHS	IND	46
15		F 60	- 15		PAS	16
15		H R 70	- 15		PAS	18
15	P	235 / 60	- 15		PAS	16
15	P	235 / 60	R 15		PAS	16
15	P	235 / 65	R 15		PAS	16
15	P	235 / 70	- 15		PAS	18
15	P	235 / 70	R 15		PAS	18
15	LT	235 / 75	- 15		T&B	18
15	LT	235 / 75	R 15		T&B	18
15	P	235 / 75	- 15		PAS	18
15	P	235 / 75	R 15		PAS	18
15		L R 78	- 15	LT	T&B	18
15		L 78	- 15	LT	T&B	18
15		K 70	- 15		PAS	18
15		9.50	- 15	FI	AGR	46
15		9.5 L	- 15	FI	AGR	58
15		9.5 L	- 15	SL	AGR	58
15		G R 60	- 15		PAS	16
15	27 x 9.50		- 15	LT	T&B	16
15	27 x 9.50		R 15	LT	T&B	16
15	27 x 9.50		- 15	NHS	A&I	46
15	29 x 9.50		- 15	LT	T&B	18
15	29 x 9.50		R 15	LT	T&B	18
15	30 x 9.50		- 15	LT	T&B	18
15	30 x 9.50		R 15	LT	T&B	18
15		9.60	- 15	SL	AGR	20
15		L 70	- 15		PAS	18
15	P	245 / 50	- 15		PAS	16
15	P	245 / 50	R 15		PAS	16
15	P	245 / 60	- 15		PAS	18

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation				Tire Class	Ounces	Price
15	P	245	/	60 R 15	PAS	18	
15	P	245	/	65 R 15	PAS	18	
15	P	245	/	70 - 15	PAS	18	
15	P	245	/	70 R 15	PAS	18	
15		L R		70 - 15	PAS	18	
15		G		60 - 15	PAS	18	
15		N		78 - 15	PAS	20	
15		250		- 15	IND	54	
15		250		- 15	NHS IND	56	
15		250	/	70 - 15	IND	56	
15		250	/	70 R 15	IND	56	
15		10.00		- 15	IND	74	
15		10.00		R 15	IND	74	
15		10		- 15	LT T&B	20	
15		10		R 15	LT T&B	20	
15		10.00	L	- 15	NHS IND	76	
15		10.00		- 15	NHS IND	80	
15		10.00		- 15	SL AGR	70	
15		10.00		- 15	TR T&B	26	
15		10.00		R 15	TR T&B	26	
15		29	x	10 - 15	NHS IND	56	
15	P	255	/	55 R 15	PAS	18	
15	P	255	/	60 - 15	PAS	18	
15	P	255	/	60 R 15	PAS	18	
15	P	255	/	65 R 15	PAS	18	
15	P	255	/	70 - 15	PAS	20	
15	P	255	/	70 R 15	PAS	20	
15	LT	255	/	75 - 15	T&B	20	
15	LT	255	/	75 R 15	T&B	20	
15		H R		60 - 15	PAS	18	
15		H		60 - 15	PAS	18	
15		G		50 - 15	PAS	18	
15	P	265	/	50 - 15	PAS	18	
15	P	265	/	50 R 15	PAS	18	
15	P	265	/	60 - 15	PAS	20	
15	P	265	/	60 R 15	PAS	20	
15	P	265	/	75 - 15	PAS	22	
15	P	265	/	75 R 15	PAS	22	
15		L		60 - 15	PAS	20	
15		L R		60 - 15	PAS	20	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation				Tire Class	Ounces	Price
15	27	x	10.50	- 15	NHS	A&I	52
15	31	x	10.50	- 15	LT	T&B	22
15	31	x	10.50	R 15	LT	T&B	22
15	33	x	10.50	- 15	LT	T&B	22
15	33	x	10.50	R 15	LT	T&B	22
15	P		275 / 50	- 15		PAS	18
15	P		275 / 50	R 15		PAS	18
15	P		275 / 60	- 15		PAS	20
15	P		275 / 60	R 15		PAS	20
15		11	L	- 15	FI	AGR	64
15		11		- 15	LT	T&B	22
15		11		R 15	LT	T&B	22
15		11.00		- 15	NHS	IND	84
15		11	L	- 15	SL	AGR	68
15		11.00		- 15	TR	T&B	28
15		11.00		R 15	TR	T&B	28
15	36	x	11	- 15	NHS	IND	76
15	P		285 / 70	- 15		PAS	22
15	P		285 / 70	R 15		PAS	22
15	31	x	11.50	- 15	LT	T&B	22
15	31	x	11.50	R 15	LT	T&B	22
15	32	x	11.5	- 15		AIR	24
15	32	x	11.50	- 15	LT	T&B	24
15	32	x	11.50	R 15	LT	T&B	24
15	P		295 / 50	- 15		PAS	20
15	P		295 / 50	R 15		PAS	20
15			300	- 15		IND	74
15			300	- 15	NHS	IND	74
15		12		- 15	LT	T&B	26
15		12		R 15	LT	T&B	26
15	28	x	12	- 15	NHS	IND	64
15	32	x	12	- 15	NHS	IND	74
15			315 / 70	R 15		IND	74
15		12.5	L	- 15	FI	A&I	78
15		12.5	L	- 15	SL	A&I	78
15	25	x	12.50	- 15	NHS	A&I	58
15	29	x	12.50	- 15	NHS	A&I	68
15	31	x	12.50	- 15	NHS	A&I	72
15	33	x	12.50	- 15	LT	T&B	26
15	33	x	12.50	R 15	LT	T&B	26

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
15	33	x 12.50	- 15	NHS	AGR	78
15	35	x 12.50	- 15	LT	T&B	28
15	35	x 12.50	R 15	LT	T&B	28
15	36	x 12.50	- 15	LT	T&B	28
15	36	x 12.50	R 15	LT	T&B	28
15	37	x 12.50	- 15	LT	T&B	30
15	37	x 12.50	R 15	LT	T&B	30
15		N 50	- 15		PAS	22
15	P	325 / 50	- 15		PAS	24
15	P	325 / 50	R 15		PAS	24
15	28	x 13	- 15	NHS	IND	70
15		13.50	- 15	FI	AGR	80
15	31	x 13.50	- 15	LT	T&B	26
15	31	x 13.50	R 15	LT	T&B	26
15	31	x 13.50	- 15	NHS	AGR	80
15	36	x 13.50	- 15	NHS	AGR	94
15		355 / 65	- 15		IND	88
15	H 37	x 14.0	- 15		AIR	34
15		14.50 L	- 15	NHS	IND	98
15	35	x 14.50	- 15	LT	T&B	32
15	35	x 14.50	R 15	LT	T&B	32
15	36	x 14.50	- 15	LT	T&B	34
15	36	x 14.50	R 15	LT	T&B	34
15	37	x 14.50	- 15	LT	T&B	34
15	37	x 14.50	R 15	LT	T&B	34
15	S	375 / 60	- 15		PAS	32
15	S	375 / 60	R 15		PAS	32
15	32	x 15	- 15	NHS	IND	88
15	35	x 15	- 15	NHS	IND	100
15	31	x 15.50	- 15	LT	T&B	30
15	31	x 15.50	R 15	LT	T&B	30
15	31	x 15.50	- 15	NHS	AGR	92
15	39	x 15.50	- 15	LT	T&B	38
15	39	x 15.50	R 15	LT	T&B	38

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation		Tire Class	Ounces	Price
16	M	2.50	- 16	CYM	4	
16	M	2.75	- 16	CYM	6	
16	M	70 / 90	- 16	CYM	4	
16	M	70 / 100	- 16	CYM	6	
16	M	3.00	- 16	CYM	6	
16	M	80 / 90	- 16	CYM	6	
16	M	80 / 100	- 16	CYM	6	
16	M	3.25	- 16	CYM	6	
16	M	3.50	- 16	CYM	6	
16	M	90 / 90	- 16	CYM	6	
16	M	90 / 100	- 16	CYM	6	
16	M	100 / 80	- 16	CYM	8	
16	M	100 / 90	- 16	CYM	8	
16	M	100 / 100	- 16	CYM	8	
16	T	105 / 70	- 16	PAS	8	
16	T	105 / 70	R 16	PAS	8	
16	M	P 75	- 16	CYM	6	
16	M	110 / 80	- 16	CYM	8	
16	M	110 / 80	R 16	CYM	8	
16	M	110 / 90	- 16	CYM	8	
16	T	115 / 70	- 16	PAS	8	
16	T	115 / 70	R 16	PAS	8	
16	M	4.60	- 16	CYM	8	
16	M	120 / 70	- 16	CYM	8	
16	M	120 / 80	- 16	CYM	8	
16	M	120 / 80	R 16	CYM	8	
16	M	120 / 90	- 16	CYM	8	
16	M	R 85	- 16	CYM	8	
16	T	125 / 70	- 16	PAS	8	
16	T	125 / 70	R 16	PAS	8	
16	T	125 / 80	- 16	PAS	8	
16	T	125 / 80	R 16	PAS	8	
16	T	125 / 90	- 16	PAS	10	
16	T	125 / 90	R 16	PAS	10	
16	M	5.00	- 16	CYM	10	
16	M	130 / 60	R 16	CYM	8	
16	M	130 / 70	- 16	CYM	10	
16	M	130 / 70	R 16	CYM	10	
16	M	130 / 80	- 16	CYM	10	
16	M	130 / 90	- 15	CYM	10	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
16	M 130 / 90 - 16	CYM	10	
16	M 130 / 100 - 16	CYM	10	
16	M T 90 - 16	CYM	10	
16	T 135 / 70 - 16	PAS	10	
16	T 135 / 70 R 16	PAS	10	
16	5.50 - 16 SL	AGR	32	
16	M 140 / 80 - 16	CYM	10	
16	M 140 / 90 - 16	CYM	10	
16	M 140 / 90 R 16	CYM	10	
16	M U 90 - 16	CYM	10	
16	T 145 / 80 - 16	PAS	10	
16	T 145 / 80 R 16	PAS	10	
16	T 145 / 90 - 16	PAS	10	
16	T 145 / 90 R 16	PAS	10	
16	M 150 / 80 - 16	CYM	12	
16	M 150 / 80 R 16	CYM	12	
16	M 150 / 90 - 16	CYM	12	
16	6 - 16	AGR	32	
16	6.00 - 16 LT	T&B	14	
16	6.00 R 16 LT	T&B	14	
16	6.00 - 16 NHS	IND	34	
16	6.00 - 16 SL	AGR	36	
16	P 155 / 80 D 16	PAS	10	
16	T 155 / 80 - 16	PAS	10	
16	T 155 / 80 R 16	PAS	10	
16	T 155 / 90 - 16	PAS	12	
16	T 155 / 90 R 16	PAS	12	
16	M 160 / 60 R 16	CYM	12	
16	M 160 / 70 - 16	CYM	12	
16	M 160 / 70 R 16	CYM	12	
16	M 160 / 80 - 16	CYM	12	
16	M 160 / 80 R 16	CYM	12	
16	6.50 - 16 LT	T&B	14	
16	6.50 R 16 LT	T&B	14	
16	6.50 - 16 SL	AGR	40	
16	7.00 - 16	IND	46	
16	7.00 - 16 LT	T&B	16	
16	7.00 R 16 LT	T&B	16	
16	7.00 - 16 ML	T&B	32	
16	7.50 - 16	IND	50	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
16		7.50	- 16	LT	T&B	18
16		7.50	R 16	LT	T&B	18
16		7.50	- 16	SL	AGR	48
16		7.50	- 16	SS	IND	52
16		F 78	- 16	LT	T&B	14
16		8.00	- 16	SL	AGR	50
16	P	205 / 55	R 16		PAS	14
16		8.3	- 16		AGR	50
16	P	215 / 60	- 16		PAS	14
16	P	215 / 60	R 16		PAS	14
16	P	215 / 70	- 16		PAS	16
16	P	215 / 70	R 16		PAS	16
16	LT	215 / 85	- 16		T&B	18
16	LT	215 / 85	R 16		T&B	18
16		H 78	- 16	LT	T&B	18
16		32 x 8.8			AIR	18
16	P	225 / 50	- 16		PAS	14
16	P	225 / 50	R 16		PAS	14
16	P	225 / 55	R 16		PAS	16
16	P	225 / 60	- 16		PAS	16
16	P	225 / 60	R 16		PAS	16
16	LT	225 / 75	- 16		T&B	18
16	LT	225 / 75	R 16		T&B	18
16	P	225 / 75	- 16		PAS	12
16	P	225 / 75	R 16		PAS	12
16		9.00	- 16		IND	68
16		9.00	- 16	DT	OTR	64
16		9.00	R 16	DT	OTR	64
16		9.00	- 16	LT	T&B	24
16		9.00	R 16	LT	T&B	24
16		9.00	- 16	SL	AGR	58
16		34 x 9.25	- 16		AIR	20
16	P	235 / 50	- 16		PAS	16
16	P	235 / 50	R 16		PAS	16
16	P	235 / 55	R 16		PAS	16
16	P	235 / 60	- 16		PAS	16
16	P	235 / 60	R 16		PAS	16
16	P	235 / 65	R 16		PAS	18
16	P	235 / 70	- 16		PAS	18
16	P	235 / 70	R 16		PAS	18

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
16	LT 235 / 85 - 16	T&B	20	
16	LT 235 / 85 R 16	T&B	20	
16	L 78 - 16 LT	T&B	18	
16	L R 78 - 16 LT	T&B	18	
16	9.5 - 16	AGR	60	
16	9.50 - 16	AIR	22	
16	P 245 / 50 - 16	PAS	16	
16	P 245 / 50 R 16	PAS	16	
16	P 245 / 70 - 16	PAS	20	
16	P 245 / 70 R 16	PAS	20	
16	LT 245 / 75 - 16	T&B	20	
16	LT 245 / 75 R 16	T&B	20	
16	P 245 / 75 - 16	PAS	20	
16	P 245 / 75 R 16	PAS	20	
16	10.00 - 16 SL	AGR	72	
16	P 255 / 45 R 16	PAS	16	
16	P 255 / 50 - 16	PAS	18	
16	P 255 / 50 R 16	PAS	18	
16	LT 255 / 85 - 16	T&B	22	
16	LT 255 / 85 R 16	T&B	22	
16	P 265 / 50 - 16	PAS	18	
16	P 265 / 50 R 16	PAS	18	
16	P 265 / 75 - 16	PAS	22	
16	P 265 / 75 R 16	PAS	22	
16	P 275 / 50 - 16	PAS	20	
16	P 275 / 50 R 16	PAS	20	
16	P 275 / 70 - 16	PAS	22	
16	P 275 / 70 R 16	PAS	22	
16	11.00 - 16 DT	OTR	74	
16	11.00 R 16 DT	OTR	74	
16	11 L - 16 SL	AGR	70	
16	11.00 - 16 SL	AGR	90	
16	36 x 11	AIR	26	
16	P 285 / 70 - 16	PAS	24	
16	P 285 / 70 R 16	PAS	24	
16	LT 285 / 75 - 16	T&B	24	
16	LT 285 / 75 R 16	T&B	24	
16	12.4 - 16	AGR	86	
16	P 315 / 40 R 16	PAS	22	
16	12.50 - 16	AIR	32	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
16		12.5	L	- 16 SL	AGR	80
16	37	x 13.0		- 16	AIR	32
16	39	x 13			AIR	32
16		13.6		- 16	AGR	94
16	40	x 14			AIR	36
16		15.00		- 16	AIR	42
16	42	x 15			AIR	42
16	40	x 15.5		- 16	AIR	40
16	40.5	x 15.5		- 16	AIR	40
16		16.00		- 16 DT	OTR	114
16		16.00		R 16 DT	OTR	114
16		17.00		- 16	AIR	50
16.1		13.50		- 16.1 SL	AGR	106
16.1		14	L	- 16.1 SL	AGR	104
16.1		14.5	/ 75	- 16.1 SL	AGR	104
16.1		16.5	L	- 16.1 SL	AGR	132
16.1		18.4		- 16.1	AGR	156
16.1		19	L	- 16.1 SL	AGR	154
16.1	38	x 20.00		- 16.1 NHS	AGR	142
16.1		21.5	L	- 16.1 SL	AGR	180
16.31	20	x 1.75			CYB	6
16.31	20	x 1.75	/ 47	- 406	CYB	6
16.31	20	x 2.125			CYB	8
16.48	20	x 1 3/4			CYB	6
16.5		8.00		- 16.5 LT	T&B	16
16.5		8.00		R 16.5 LT	T&B	16
16.5		8.75		- 16.5 LT	T&B	18
16.5		8.75		R 16.5 LT	T&B	18
16.5		9.50		- 16.5 LT	T&B	20
16.5		9.50		R 16.5 LT	T&B	20
16.5	30	x 9.50		- 16.5 LT	T&B	18
16.5	30	x 9.50		R 16.5 LT	T&B	18
16.5		10		- 16.5 LT	T&B	20
16.5		10		R 16.5 LT	T&B	20
16.5		10		- 16.5 NHS	IND	60
16.5	31	x 10.50		- 16.5 LT	T&B	22
16.5	31	x 10.50		R 16.5 LT	T&B	22
16.5	31	x 11.50		- 16.5 LT	T&B	22
16.5	31	x 11.50		R 16.5 LT	T&B	22
16.5		12		- 16.5 LT	T&B	26

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class		Ounces	Price
16.5		12	R 16.5	LT	T&B	26
16.5		12	- 16.5	NHS	IND	76
16.5	33	x 12.50	- 16.5	LT	T&B	26
16.5	33	x 12.50	R 16.5	LT	T&B	26
16.5	36	x 12.50	- 16.5	LT	T&B	28
16.5	36	x 12.50	R 16.5	LT	T&B	28
16.5	37	x 12.50	- 16.5	LT	T&B	28
16.5	37	x 12.50	R 16.5	LT	T&B	28
16.5	36	x 14.50	- 16.5	LT	T&B	32
16.5	36	x 14.50	R 16.5	LT	T&B	32
16.5	37	x 14.50	- 16.5	LT	T&B	34
16.5	37	x 14.50	R 16.5	LT	T&B	34

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation		Tire Class	Ounces	Price
17	M	2.25	- 17	CYM	4	
17	M	60 / 90	- 17	CYM	4	
17	M	60 / 100	- 17	CYM	4	
17	M	2.50	- 17	CYM	4	
17	M	2.75	- 17	CYM	6	
17	M	70 / 90	- 17	CYM	6	
17	M	70 / 100	- 17	CYM	6	
17	M	3.00	- 17	CYM	6	
17	M	80 / 80	- 17	CYM	6	
17	M	80 / 90	- 17	CYM	6	
17	M	80 / 100	- 17	CYM	6	
17	M	3.25	- 17	CYM	6	
17	M	3.50	- 17	CYM	8	
17	M	90 / 80	- 17	CYM	6	
17	M	90 / 90	- 17	CYM	6	
17	M	90 / 100	- 17	CYM	6	
17	M	100 / 70	- 17	CYM	8	
17	M	100 / 70	R 17	CYM	8	
17	M	100 / 80	- 17	CYM	8	
17	M	100 / 80	R 17	CYM	8	
17	M	100 / 90	- 17	CYM	8	
17	M	100 / 100	- 17	CYM	8	
17	M	4.25	- 17	CYM	8	
17	M	110 / 70	- 17	CYM	8	
17	M	110 / 70	R 17	CYM	8	
17	M	110 / 80	- 17	CYM	8	
17	M	110 / 80	R 17	CYM	8	
17	M	110 / 90	- 17	CYM	8	
17	M	4.50	- 17	CYM	10	
17	M	4.60	- 17	CYM	8	
17	M	120 / 60	R 17	CYM	8	
17	M	120 / 70	- 17	CYM	8	
17	M	120 / 70	R 17	CYM	8	
17	M	120 / 80	- 17	CYM	8	
17	M	120 / 90	- 17	CYM	10	
17	M	120 / 100	- 17	CYM	10	
17	M	5.10	- 17	CYM	10	
17	M	130 / 60	R 17	CYM	10	
17	M	130 / 70	- 17	CYM	10	
17	M	130 / 70	R 17	CYM	10	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation			Tire Class	Ounces	Price
17	M	130	/ 80	- 17	CYM	10	
17	M	130	/ 90	- 17	CYM	10	
17	M	130	/ 100	- 17	CYM	10	
17	M	S	90	- 17	CYM	10	
17	M	T	90	- 17	CYM	10	
17	M	140	/ 60	R 17	CYM	10	
17	M	140	/ 70	- 17	CYM	10	
17	M	140	/ 70	R 17	CYM	10	
17	M	140	/ 80	- 17	CYM	10	
17	M	140	/ 80	R 17	CYM	10	
17	M	150	/ 60	R 17	CYM	10	
17	M	150	/ 70	- 17	CYM	12	
17	M	150	/ 70	R 17	CYM	12	
17	M	150	/ 90	- 17	CYM	12	
17		6.00		- 17	T&B	12	
17		6.00		R 17	T&B	12	
17	T	155	/ 70	- 17	PAS	10	
17	T	155	/ 70	R 17	PAS	10	
17	M	160	/ 60	- 17	CYM	12	
17	M	160	/ 60	R 17	CYM	12	
17	M	160	/ 70	- 17	CYM	12	
17	M	170	/ 60	- 17	CYM	12	
17	M	170	/ 60	R 17	CYM	12	
17		7.00		- 17	T&B	18	
17		7.00		R 17	T&B	18	
17	M	180	/ 50	R 17	CYM	12	
17	M	180	/ 55	R 17	CYM	12	
17	M	180	/ 60	R 17	CYM	14	
17		7.50		- 17	T&B	18	
17		7.50		R 17	T&B	18	
17		8.25		- 17	T&B	20	
17		8.25		R 17	T&B	20	
17		225	/ 50	R 17	PAS	14	
17	P	245	/ 40	R 17	PAS	16	
17	P	245	/ 45	R 17	PAS	16	
17	P	255	/ 45	R 17	PAS	18	
17	P	275	/ 40	R 17	PAS	18	
17	P	285	/ 35	R 17	PAS	18	
17	P	285	/ 40	R 17	PAS	20	
17	P	315	/ 35	R 17	PAS	22	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
17	P	335 / 35	R 17	PAS	22	
17	C 40	x 18.0	- 17	AIR	46	
17.5		7	- 17.5 LT	T&B	14	
17.5		7	R 17.5 LT	T&B	14	
17.5		8	R 17.5 HC	T&B	16	
17.5		8	- 17.5 LT	T&B	16	
17.5		8	R 17.5 LT	T&B	16	
17.5		215 / 75	R 17.5	IND	50	
17.5		215 / 75	R 17.5 HC	T&B	16	
17.5		9	R 17.5 HC	T&B	20	
17.5		235 / 75	R 17.5	IND	56	
17.5		9.5	R 17.5	IND	60	
17.5		245 / 70	R 17.5	IND	58	
17.5		10	R 17.5 HC	T&B	24	
17.5		10	- 17.5 LT	T&B	22	
17.5		10	R 17.5 LT	T&B	22	
17.5		275 / 65	R 17.5 HC	T&B	22	
17.5		11	R 17.5 HC	T&B	26	
17.5		14	- 17.5	T&B	32	
17.5		14	R 17.5	T&B	32	
17.5		14	- 17.5 ML	T&B	64	
17.5		14	- 17.5 NHS	IND	94	
17.5	36	x 16	- 17.5 NHS	AGR	110	
17.72	CT	205 / 45	R 450	PAS	14	
17.75	20	x 1.25		CYB	4	
17.75	20	x 1 1/4		CYB	4	
17.75	20	x 1.375		CYB	4	
17.75	20	x 1 3/8		CYB	4	
18	M	2.50	- 18	CYM	4	
18	M	2.75	- 18	CYM	6	
18	M	70 / 90	- 18	CYM	6	
18	M	70 / 100	- 18	CYM	6	
18	M	3.00	- 18	CYM	6	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation			Tire Class	Ounces	Price
18	M	80	/ 80	- 18	CYM	6	
18	M	80	/ 90	- 18	CYM	6	
18	M	80	/ 100	- 18	CYM	6	
18	M	3.25		- 18	CYM	8	
18	M	3.50		- 18	CYM	8	
18	M	90	/ 80	- 18	CYM	6	
18	M	90	/ 90	- 18	CYM	6	
18	M	90	/ 100	- 18	CYM	8	
18	M	J	90	- 18	CYM	6	
18	M	L	90	- 18	CYM	8	
18	M	M	90	- 18	CYM	8	
18	M	100	/ 80	- 18	CYM	8	
18	M	100	/ 90	- 18	CYM	8	
18	M	100	/ 100	- 18	CYM	8	
18		4.00		- 18	SL AGR	22	
18	M	4.00		- 18	CYM	8	
18	M	4.10		- 18	CYM	8	
18	M	4.25		- 18	CYM	10	
18	M	4.25	/ 85	- 18	CYM	8	
18	M	110	/ 70	- 18	CYM	8	
18	M	110	/ 70	R 18	CYM	8	
18	M	110	/ 80	- 18	CYM	8	
18	M	110	/ 80	R 18	CYM	8	
18	M	110	/ 90	- 18	CYM	8	
18	M	110	/ 100	- 18	CYM	8	
18	M	N	90	- 18	CYM	8	
18	M	P	85	- 18	CYM	8	
18	M	P	90	- 18	CYM	10	
18	M	4.60		- 18	CYM	10	
18	M	120	/ 60	R 18	CYM	8	
18	M	120	/ 70	- 18	CYM	8	
18	M	120	/ 80	- 18	CYM	10	
18	M	120	/ 90	- 18	CYM	10	
18	M	120	/ 100	- 18	CYM	10	
18	M	R	90	- 18	CYM	10	
18	M	5.10		- 18	CYM	10	
18	M	130	/ 60	- 18	CYM	10	
18	M	130	/ 60	R 18	CYM	10	
18	M	130	/ 70	- 18	CYM	10	
18	M	130	/ 80	- 18	CYM	10	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
18	M	130 / 80	R 18	CYM	10	
18	M	130 / 90	- 18	CYM	10	
18	M	130 / 100	- 18	CYM	10	
18	M	S 85	- 18	CYM	10	
18	M	T 85	- 18	CYM	10	
18	M	140 / 60	- 18	CYM	10	
18	M	140 / 60	R 18	CYM	10	
18	M	140 / 70	- 18	CYM	10	
18	M	140 / 70	R 18	CYM	10	
18	M	140 / 80	- 18	CYM	10	
18	M	150 / 60	- 18	CYM	12	
18	M	150 / 60	R 18	CYM	12	
18	M	150 / 70	- 18	CYM	12	
18	M	150 / 70	R 18	CYM	12	
18	T	155 / 80	- 18	PAS	12	
18	T	155 / 80	R 18	PAS	12	
18	M	160 / 60	- 18	CYM	12	
18	M	160 / 60	R 18	CYM	12	
18	M	160 / 70	- 18	CYM	12	
18	M	170 / 60	- 18	CYM	14	
18	M	170 / 60	R 18	CYM	12	
18		7.00	- 18	T&B	22	
18		7.00	R 18	T&B	22	
18	M	180 / 50	R 18	CYM	12	
18	M	180 / 55	R 18	CYM	14	
18		7.50	- 18	T&B	24	
18		7.50	R 18	T&B	24	
18		7.50	- 18	NHS IND	58	
18		7.50	- 18	NHS AGR	52	
18	P	275 / 35	R 18	PAS	18	
18		40 x 12		AIR	32	
18	P	335 / 35	R 18	PAS	22	
18		41 x 15.0	- 18	AIR	40	
18		44 x 16		AIR	44	
18		44.5 x 16.5	- 18	AIR	48	
18.5		13	- 18.5 NHS	IND	36	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation		Tire Class	Ounces	Price
19	M	2.50	- 19	CYM	6	
19	M	70 / 100	- 19	CYM	6	
19	M	3.00	- 19	CYM	6	
19	M	80 / 80	- 19	CYM	6	
19	M	80 / 90	- 19	CYM	6	
19	M	80 / 100	- 19	CYM	6	
19	M	3.25	- 19	CYM	8	
19	M	3.50	- 19	CYM	8	
19	M	90 / 80	- 19	CYM	8	
19	M	90 / 90	- 19	CYM	8	
19	M	90 / 100	- 19	CYM	8	
19	M	J 90	- 19	CYM	8	
19	M	L 90	- 19	CYM	8	
19	M	M 90	- 19	CYM	8	
19	M	100 / 80	- 19	CYM	8	
19	M	100 / 90	- 19	CYM	8	
19	M	100 / 100	- 19	CYM	8	
19		4.00	- 19	SL AGR	24	
19	M	4.10	- 19	CYM	8	
19	M	110 / 80	- 19	CYM	8	
19	M	110 / 90	- 19	CYM	8	
19	M	110 / 100	- 19	CYM	10	
19	M	120 / 80	- 19	CYM	10	
19	M	120 / 90	- 19	CYM	10	
19	M	120 / 100	- 19	CYM	10	
19	M	130 / 80	- 19	CYM	10	
19	M	140 / 80	- 19	CYM	12	
19	H 40	x 14.0	- 19	AIR	36	
19	H 40	x 14.5	- 19	AIR	38	
19	H 42	x 16.0	- 19	AIR	44	
19.5		8	- 19.5	T&B	22	
19.5		8	R 19.5	T&B	22	
19.5		225 / 70	R 19.5	T&B	24	
19.5		245 / 70	R 19.5	T&B	26	
19.5		245 / 70	R 19.5	IND	62	
19.5		265 / 70	R 19.5	IND	70	
19.5		285 / 70	R 19.5	IND	76	
19.5		15	- 19.5	T&B	48	
19.5		15	R 19.5	T&B	48	
19.5		15	- 19.5	ML T&B	98	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
19.5		15	- 19.5	NHS	IND	118
19.5		16.5	- 19.5		T&B	56
19.5		16.5	R 19.5		T&B	56
19.5		16.5	- 19.5	ML	T&B	112
19.5		18	- 19.5		T&B	60
19.5		18	R 19.5		T&B	60
19.5	40	x 19	- 19.5	ML	T&B	122
19.5		19	- 19.5	NHS	AGR	144
19.5		19.5	- 19.5		T&B	70
19.5		19.5	R 19.5		T&B	70
19.5		19.5	- 19.5	ML	T&B	140
19.5		22.5	- 19.5	ML	T&B	160

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
20	7.00	- 20	IND	54	
20	7.00	- 20 ML	T&B	46	
20	7.50	- 20	T&B	26	
20	7.50	- 20	IND	60	
20	7.50	R 20	T&B	26	
20	7.50	- 20 ML	T&B	50	
20	7.50	- 20 SL	AGR	54	
20	8.25	- 20	T&B	28	
20	8.25	- 20	IND	70	
20	8.25	R 20	T&B	28	
20	8.25	- 20 ML	T&B	58	
20	8.25	- 20 NHS	OTR	70	
20	9.00	- 20	T&B	34	
20	9.00	- 20	IND	80	
20	9.00	R 20	T&B	34	
20	9.00	- 20 ML	T&B	66	
20	9.00	- 20 NHS	OTR	80	
20	9.50	- 20 SL	AGR	74	
20	10.00	- 20	T&B	36	
20	10.00	- 20	IND	88	
20	10.00	R 20	T&B	36	
20	10.00	- 20 ML	T&B	74	
20	10.00	- 20 NHS	OTR	90	
20	10.00	- 20 TG	OTR	88	
20	275 / 85	D 20	IND	80	
20	11.00	- 20	T&B	40	
20	11.00	- 20	IND	96	
20	11.00	R 20	T&B	40	
20	11.00	- 20 ML	T&B	80	
20	11.00	- 20 NHS	OTR	98	
20	11.1	- 20	T&B	36	
20	11.50	- 20	T&B	40	
20	11.50	R 20	T&B	40	
20	11.9	- 20	T&B	40	
20	12.00	- 20	T&B	44	
20	12.00	- 20	IND	106	
20	12.00	R 20	T&B	44	
20	12.00	- 20 ML	T&B	88	
20	12.00	- 20 NHS	OTR	108	
20	12.00	R 20 NHS	OTR	108	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
20	315 / 80	D 20	IND	94	
20	13.00	- 20	IND	118	
20	13.00	- 20	T&B	50	
20	13.00	R 20	T&B	50	
20	13.00	- 20 ML	T&B	100	
20	13.00	- 20 TG	OTR	116	
20	345 / 80	D 20	IND	110	
20	355 / 80	D 20	IND	114	
20	14.00	- 20	T&B	58	
20	14.00	R 20	T&B	58	
20	14.00	- 20 DT	OTR	134	
20	14.00	R 20 DT	OTR	134	
20	14.00	- 20 ML	T&B	116	
20	14.00	R 20 ML	T&B	116	
20	14.00	- 20 NHS	OTR	140	
20	14.00	R 20 NHS	OTR	140	
20	14.00	- 20 TG	OTR	140	
20	14 / 80	R 20	IND	112	
20	38 x 14.00	- 20 NHS	AGR	104	
20	15.50	- 20	AIR	46	
20	16.00	R 20	T&B	68	
20	16.00	- 20 DT	OTR	168	
20	16.00	R 20 DT	OTR	168	
20	46 x 16	- 20	AIR	46	
20	H 44.5 x 16.5	- 20	AIR	48	
20	425 / 95	R 20	OTR	162	
20	17.00	- 20	AIR	54	
20	H 45 x 17.0	- 20	AIR	48	
20	49 x 17	- 20	AIR	54	
20	38 x 18.00	- 20 NHS	AGR	134	
20	44 x 18.00	- 20 NHS	AGR	154	
20	44 x 18	- 20 NHS	IND	150	
20	H 46 x 18.0	- 20	AIR	52	
20	49 x 19.0	- 20	AIR	60	
20	50 x 20.0	- 20	AIR	64	
20	56 x 20.0	- 20	AIR	72	
20	52 x 20.5	- 20	AIR	68	
20	50 x 21.0	- 20	AIR	66	
20	42 x 25.00	- 20 NHS	AGR	196	
20	48 x 25.00	- 20 NHS	AGR	232	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
20	48	x 31.00	- 20	NHS	AGR	282
20	44	x 41.00	- 20	NHS	AGR	332
20.30	24	x 2.125			CYB	8
20.30	24	x 2.125 / 57	- 507		CYB	8
20.31	24	x 1.75			CYB	6
20.31	24	x 2.125			CYB	8
20.48	24	x 1 3/4			CYB	6
21	M	2.50	- 21		CYM	6
21	M	2.75	- 21		CYM	6
21	M	70 / 90	- 21		CYM	6
21	M	3.00	- 21		CYM	6
21	M	80 / 90	- 21		CYM	6
21	M	80 / 100	- 21		CYM	6
21	M	H 90	- 21		CYM	6
21	M	90 / 90	- 21		CYM	8
21	M	100 / 90	- 21		CYM	8
21	M	100 / 100	- 21		CYM	8
21		12.00	- 21	ML	T&B	88
21		12.00	- 21	NHS	OTR	106
21		12.00	R 21	NHS	OTR	106
21		14.00	R 21		T&B	58
21		14.00	- 21	ML	T&B	116
21		14.00	R 21	ML	T&B	116
21		14.00	- 21	NHS	OTR	140
21		14.00	R 21	NHS	OTR	140
21	C 40	x 14.0	- 21		AIR	36
21		14.5	- 21		T&B	60
21		16.00	R 21		T&B	68
21		16.00	- 21	NHS	OTR	176
21		16.00	R 21	NHS	OTR	176
21		18	- 21	ML	T&B	132
21		23	- 21	ML	T&B	188

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
21		24	- 21 DT	OTR	244	
21		24	R 21 DT	OTR	244	
21		27.25	- 21 DT	OTR	302	
21		27.25	R 21 DT	OTR	302	
21.24	24	x 1 3/8		CYB	6	
21.52	24	x 1 1/4		CYB	6	
21.75	24	x 1.25		CYB	6	
21.75	24	x 1.375		CYB	6	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
22		10.00 - 22	T&B	38	
22		10.00 R 22	T&B	38	
22		10.00 - 22 ML	T&B	76	
22		11.00 - 22	T&B	42	
22		11.00 R 22	T&B	42	
22		11.00 - 22 ML	T&B	84	
22	H 49	x 19.0 - 22	AIR	60	
22.31	26	x 1.75	CYB	8	
22.31	26	x 2.10	CYB	8	
22.31	26	x 2.125	CYB	8	
22.48	26	x 1 3/4	CYB	8	
22.5		8 - 22.5	T&B	24	
22.5		8 R 22.5	T&B	24	
22.5		9 - 22.5	T&B	28	
22.5		9 R 22.5	T&B	28	
22.5		9 - 22.5 ML	T&B	56	
22.5		245 / 75 - 22.5	T&B	30	
22.5		245 / 75 R 22.5	T&B	30	
22.5		250 / 70 R 22.5	T&B	30	
22.5		10 - 22.5	T&B	32	
22.5		10 R 22.5	T&B	32	
22.5		10 - 22.5 ML	T&B	66	
22.5		10 - 22.5 NHS	OTR	78	
22.5		265 / 75 - 22.5	T&B	32	
22.5		265 / 75 R 22.5	T&B	32	
22.5		11 - 22.5	T&B	36	
22.5		11 R 22.5	T&B	36	
22.5		11 - 22.5 ML	T&B	74	
22.5		11 - 22.5 NHS	OTR	88	
22.5		295 / 75 - 22.5	T&B	38	
22.5		295 / 75 R 22.5	T&B	38	
22.5		12 - 22.5	T&B	40	
22.5		12 R 22.5	T&B	40	
22.5		12 - 22.5 ML	T&B	82	
22.5		12 - 22.5 NHS	OTR	98	
22.5		305 / 75 R 22.5	T&B	40	
22.5		315 / 80 R 22.5	T&B	42	
22.5		12.5 - 22.5	T&B	40	
22.5		12.5 R 22.5	T&B	40	
22.5		12.75 - 22.5	T&B	42	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
22.5	12.75	R 22.5	T&B	42	
22.5	13	- 22.5	T&B	44	
22.5	13	- 22.5 NHS	OTR	108	
22.5	15	- 22.5	T&B	52	
22.5	15	R 22.5	T&B	52	
22.5	15	- 22.5 ML	T&B	104	
22.5	385 / 65	R 22.5	T&B	52	
22.5	16.5	- 22.5	T&B	60	
22.5	16.5	R 22.5	T&B	60	
22.5	16.5	- 22.5 ML	T&B	120	
22.5	425 / 65	R 22.5	T&B	58	
22.5	445 / 65	R 22.5	T&B	64	
22.5	18	- 22.5	T&B	66	
22.5	18	R 22.5	T&B	66	
22.5	18	- 22.5 ML	T&B	132	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation			Tire Class	Ounces	Price
23	52	x 20.5	- 23	AIR	68	
23.24	26	x 1 3/8		CYB	6	
23.5		23	- 23.5 ML	T&B	188	
23.51	26	x 1 1/4		CYB	6	
23.75	26	x 1.25		CYB	6	
23.75	26	x 1.375		CYB	6	
24		7.50	- 24 SL	AGR	66	
24		8.3	- 24	AGR	62	
24		9.00	- 24 SL	AGR	88	
24		9.5	- 24	AGR	74	
24		10.00	- 24 ML	T&B	80	
24		10.00	- 24 TG	OTR	96	
24		10.00	R 24 TG	OTR	96	
24		11.00	- 24	T&B	44	
24		11.00	R 24	T&B	44	
24		11.00	- 24 ML	T&B	86	
24		11.00	- 24 SL	AGR	108	
24		11.2	- 24	AGR	92	
24		11.25	- 24 SL	AGR	112	
24		12.00	- 24	T&B	48	
24		12.00	- 24	IND	116	
24		12.00	R 24	T&B	48	
24		12.00	- 24 ML	T&B	96	
24		12.00	- 24 NHS	OTR	118	
24		12.00	R 24 NHS	OTR	118	
24		12.00	- 24 TG	OTR	112	
24		12.00	R 24 TG	OTR	112	
24		12.4	- 24	AGR	108	
24		320 / 70	R 24	AGR	100	
24		13.00	- 24	IND	128	
24		13.00	- 24 ML	T&B	108	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
24	13.00	R 24 ML	T&B	108	
24	13.00	- 24 NHS	OTR	134	
24	13.00	R 24 NHS	OTR	134	
24	13.00	- 24 TG	OTR	132	
24	13.00	R 24 TG	OTR	128	
24	13.6	- 24	AGR	122	
24	14.00	- 24	T&B	62	
24	14.00	- 24	IND	148	
24	14.00	R 24	T&B	62	
24	14.00	- 24 ML	T&B	126	
24	14.00	R 24 ML	T&B	126	
24	14.00	- 24 NHS	OTR	150	
24	14.00	R 24 NHS	OTR	150	
24	14.00	- 24 TG	OTR	152	
24	14.00	R 24 TG	OTR	148	
24	360 / 70	R 24	AGR	116	
24	14.9	- 24	AGR	140	
24	380 / 70	R 24	AGR	128	
24	385 / 95	R 24	OTR	152	
24	16.00	- 24 DT	OTR	198	
24	16.00	R 24 DT	OTR	198	
24	16.00	- 24 TG	OTR	182	
24	16.00	R 24 TG	OTR	182	
24	420 / 70	R 24	AGR	148	
24	16.9	- 24	AGR	168	
24	16.9	R 24	AGR	168	
24	17.5 L	- 24	AGR	164	
24	18.00	- 24 DT	OTR	212	
24	18.00	R 24 DT	OTR	212	
24	18.4	- 24	AGR	192	
24	19.5 L	- 24	AGR	190	
24	21 L	- 24	AGR	220	
24	H 54 x 21.0	- 24	AIR	72	
24.49	700 x 28		CYB	6	
24.5	245 / 75	- 24.5	T&B	34	
24.5	245 / 75	R 24.5	T&B	34	
24.5	11	- 24.5	T&B	38	
24.5	11	R 24.5	T&B	38	
24.5	11	- 24.5 ML	T&B	78	
24.5	285 / 75	- 24.5	T&B	38	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
24.5	285 / 75 R 24.5		T&B	38	
24.5	12 - 24.5		T&B	42	
24.5	12 R 24.5		T&B	42	
24.5	13.5 - 24.5		T&B	50	
24.5	13.5 R 24.5		T&B	50	
24.79	27	× 1	CYB	4	
24.79	27	× 1 1/8	CYB	6	
24.79	27	× 1 1/4	CYB	6	
24.79	27	× 1 1/4	HP CYB	6	
25	11.00 - 25 ML		T&B	88	
25	12.00 - 25 ML		T&B	96	
25	12.00 - 25 NHS		OTR	116	
25	12.00 R 25 NHS		OTR	116	
25	13.00 - 25 ML		T&B	112	
25	13.00 - 25 NHS		OTR	134	
25	13.00 R 25 NHS		OTR	134	
25	14.00 - 25 ML		T&B	126	
25	14.00 R 25 ML		T&B	126	
25	14.00 - 25 NHS		OTR	150	
25	14.00 R 25 NHS		OTR	150	
25	385 / 95 R 25		OTR	152	
25	15.5 - 25		OTR	152	
25	15.5 R 25		OTR	152	
25	16.00 - 25		OTR	188	
25	16.00 - 25		IND	188	
25	16.00 R 25		OTR	188	
25	17.5 - 25		OTR	176	
25	17.5 R 25		OTR	176	
25	445 / 80 R 25		OTR	180	
25	445 / 95 R 25		OTR	188	
25	18.00 - 25		OTR	236	
25	18.00 - 25		IND	234	
25	18.00 R 25		OTR	236	
25	18.00 - 25 DT		OTR	212	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
25		18.00 R 25	DT	OTR	212
25	61	x 18.00 - 25		OTR	226
25		505 / 95 R 25		OTR	232
25		20 / 65 - 25		OTR	196
25		20.5 - 25		OTR	228
25		20.5 R 25		OTR	228
25		525 / 80 R 25		OTR	228
25		21.00 - 25		OTR	292
25		21.00 R 25		OTR	292
25		21.00 - 25	DT	OTR	282
25		21.00 R 25	DT	OTR	282
25		22 / 65 R 25		OTR	224
25		575 / 95 R 25		OTR	286
25		23.5 - 25		OTR	282
25		23.5 R 25		OTR	282
25		605 / 80 R 25		OTR	286
25		24.00 - 25		OTR	358
25		24.00 R 25		OTR	358
25		25 / 65 - 25		OTR	276
25		25 / 65 R 25		OTR	276
25		26.5 - 25		OTR	344
25		26.5 R 25		OTR	344
25		685 / 80 R 25		OTR	348
25		29.5 - 25		OTR	410
25		29.5 R 25		OTR	410
25		29.5 - 25	DT	OTR	402
25		29.5 R 25	DT	OTR	402
25		30 / 65 - 25		OTR	368
25		30 / 65 R 25		OTR	368
25	67	x 34.00 - 25	NHS	AGR	436
25		35 / 65 - 25		OTR	474
25	66	x 43.00 - 25	NHS	AGR	524
25	66	x 44.00 - 25	NHS	AGR	556

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
26	14.9	- 26	AGR	142	
26	14.9	R 26	AGR	142	
26	16.00	- 26	OTR	162	
26	16.9	- 26	AGR	174	
26	16.9	R 26	AGR	174	
26	18.00	- 26 TG	OTR	254	
26	18.4	- 26	AGR	198	
26	18.4	R 26	AGR	198	
26	480 / 70	R 26	AGR	188	
26	23.1	- 26	AGR	280	
26	28 L	- 26	AGR	344	
26	54 x 31.00	- 26 NHS	AGR	316	
26	67 x 34.00	- 26 NHS	AGR	436	
26	66 x 43.00	- 26 NHS	AGR	524	
28	11.2	- 28	AGR	100	
28	11.25	- 28 SL	AGR	122	
28	12.4	- 28	AGR	116	
28	320 / 70	R 28	AGR	108	
28	13.6	- 28	AGR	134	
28	13.6	R 28	AGR	134	
28	360 / 70	R 28	AGR	128	
28	14.9	- 28	AGR	152	
28	14.9	R 28	AGR	152	
28	380 / 70	R 28	AGR	138	
28	420 / 70	R 28	AGR	160	
28	16.9	- 28	AGR	180	
28	16.9	R 28	AGR	180	
28	18.4	- 28	AGR	206	
28	480 / 70	R 28	AGR	194	
28	19.6	- 28	AGR	216	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
29	20 / 65 - 29	OTR	210	
29	24.00 - 29	OTR	376	
29	24.00 R 29	OTR	376	
29	25 / 65 - 29	OTR	294	
29	26.5 - 29	OTR	364	
29	26.5 R 29	OTR	364	
29	29.5 - 29	OTR	438	
29	29.5 R 29	OTR	438	
29	30 / 65 - 29	OTR	392	
29	30 / 65 R 29	OTR	392	
29	33.25 - 29	OTR	516	
29	33.25 R 29	OTR	516	
29	35 / 65 - 29	OTR	500	
30	14.9 - 30	AGR	158	
30	14.9 R 30	AGR	158	
30	420 / 70 R 30	AGR	166	
30	16.9 - 30	AGR	190	
30	16.9 R 30	AGR	186	
30	18.4 - 30	AGR	216	
30	480 / 70 R 30	AGR	202	
30	520 / 70 R 30	AGR	226	
30	23.1 - 30	AGR	292	
30	67 x 34.00 - 30 NHS	AGR	436	
32	24.5 - 32	AGR	334	
32	24.5 R 32	AGR	328	
32	30.5 L - 32	AGR	418	
32	30.5 L R 32	AGR	412	
32	30.5 L - 32 VA	AGR	412	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation				Tire Class	Ounces	Price
32	33	L	-	32	VA	AGR	466
32	35.5	L	-	32	VA	AGR	522
32	35.5	L	-	32	VA	AGR	522
32	38	L	-	32	VA	AGR	582
32	40.5	L	-	32	VA	AGR	648
32	DH 73	x 44.00	-	32	NHS	AGR	614
32	VA 73	x 44.00	-	32	NHS	AGR	614
32	68	x 50.00	-	32	NHS	AGR	650

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
33	18.00	- 33	OTR	266	
33	18.00	R 33	OTR	266	
33	21.00	- 33	OTR	326	
33	27.00	- 33	OTR	500	
33	27.00	R 33	OTR	500	
33	30.00	- 33	OTR	562	
33	30	/ 65 - 33	OTR	414	
33	33.5	- 33	OTR	558	
33	33.5	R 33	OTR	558	
33	35	/ 65 - 33	OTR	526	
33	35	/ 65 R 33	OTR	526	
33	37.5	- 33	OTR	664	
33	37.5	R 33	OTR	664	
34	16.9	- 34	AGR	200	
34	18.4	- 34	AGR	230	
34	18.4	R 34	AGR	226	
34	480	/ 70 R 34	AGR	216	
34	520	/ 70 R 34	AGR	240	
34	20.8	- 34	AGR	268	
34	20.8	R 34	AGR	268	
34	23.1	- 34	AGR	310	
34	23.1	R 34	AGR	310	
35	21.00	- 35	OTR	334	
35	21.00	R 35	OTR	334	
35	24.00	- 35	OTR	406	
35	24.00	R 35	OTR	406	
35	29.5	- 35	OTR	466	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
35	29.5	R 35	OTR	466	
35	33.25	- 35	OTR	566	
35	33.25	R 35	OTR	566	
35	37.25	- 35	OTR	660	
35	37.25	R 35	OTR	660	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
36	11.2	- 36	AGR	114	
36	12.4	- 36	AGR	136	
36	13.9	- 36	AGR	154	
37	31.5	- 37	OTR	198	
37	31.5	R 37	OTR	198	
38	11.2	- 38	AGR	122	
38	12.4	- 38	AGR	140	
38	13.6	- 38	AGR	158	
38	14.9	- 38	AGR	176	
38	15.5	- 38	AGR	182	
38	15.5	R 38	AGR	182	
38	16.9	- 38	AGR	212	
38	16.9	R 38	AGR	212	
38	18.4	- 38	AGR	240	
38	18.4	R 38	AGR	240	
38	480 / 70	R 38	AGR	230	
38	520 / 70	R 38	AGR	256	
38	20.8	- 38	AGR	284	
38	20.8	R 38	AGR	284	
38	580 / 70	R 38	AGR	300	
38	33 L	- 38 VA	AGR	504	
38	35.5 L	- 38 VA	AGR	562	
38	38 L	- 38 VA	AGR	626	
38	40.5 L	- 38 VA	AGR	694	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
39	33.5 - 39	OTR	596	
39	33.5 R 39	OTR	596	
39	37.5 - 39	OTR	706	
39	37.5 R 39	OTR	706	
39	40 / 65 - 39	OTR	698	
39	40 / 65 R 39	OTR	698	
39	40.5 / 75 R 39	OTR	774	
39	41.25 / 70 - 39	OTR	750	
39	45 / 65 - 39	OTR	842	
42	18.4 - 42	AGR	254	
42	18.4 R 42	AGR	254	
42	20.8 - 42	AGR	300	
42	20.8 R 42	AGR	300	
45	45 / 65 R 45	OTR	892	
45	50 / 65 - 45	OTR	1054	
45	55 / 65 - 45	OTR	1228	
46	13.6 - 46	AGR	180	
46	13.6 R 46	AGR	180	
46	14.9 R 46	AGR	196	
46	18.4 R 46	AGR	268	
46	20.8 R 46	AGR	314	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
49	18.00	- 49	OTR	324	
49	18.00	R 49	OTR	324	
49	21.00	- 49	OTR	394	
49	21.00	R 49	OTR	394	
49	24.00	- 49	OTR	474	
49	24.00	R 49	OTR	474	
49	27.00	- 49	OTR	570	
49	27.00	R 49	OTR	570	
51	24.00	- 51	OTR	484	
51	27.00	- 51	OTR	580	
51	30.00	- 51	OTR	684	
51	30.00	R 51	OTR	684	
51	33.00	- 51	OTR	782	
51	33.00	R 51	OTR	782	
51	36.00	- 51	OTR	912	
51	36.00	- 51 DT	OTR	886	
51	36.00	R 51	OTR	912	
51	36.00	R 51 DT	OTR	886	
51	37.5	- 51	OTR	792	
51	37.5	R 51	OTR	792	
51	50	/ 65 - 51	OTR	1110	
51	50	/ 65 R 51	OTR	1110	
51	55	/ 65 - 51	OTR	1290	
51	60	/ 65 - 51	OTR	1484	
51	65	/ 65 - 51	OTR	1690	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
53	39 / 90 R 53	OTR	912	
56.5 56.5	27 - 56.5 30 - 56.5	OTR OTR	480 570	
57 57 57	37.00 R 57 40.00 - 57 40.00 R 57	OTR OTR OTR	1000 1128 1128	
59.5 59.5 59.5	33 - 59.5 36 - 59.5 39 - 59.5	OTR OTR OTR	672 786 898	

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price

Arnco

ReSeal™ Volume Chart

(Listed by increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation	Tire Class	Ounces	Price
6	18 x 7/4.50F	NHS IND	24	
8	16 x 4.4	AIR	6	
8	18 x 5.5	AIR	8	
8	18 x 7	IND	26	
10	18 x 4.4	AIR	6	
10	24 x 7.7	AIR	12	
12.31	16 x 1.75	CYB	4	
12.31	16 x 2.125	CYB	6	
12.48	16 x 1 3/4	CYB	4	
13	21 x 4	IND	20	
13	22 x 4 1/2	IND	26	
13	23 x 5	IND	30	
13	25 x 6	IND	34	
14	26 x 6.6	AIR	12	
14	34 x 11	AIR	24	
14.31	18 x 1.625	CYB	4	
15	29 x 7.7	AIR	14	
16	32 x 8.8	AIR	18	
16	36 x 11	AIR	26	
16	39 x 13	AIR	32	
16	40 x 14	AIR	35	
16	42 x 15	AIR	42	
16.31	20 x 1.75	CYB	6	
16.31	20 x 1.75 / 47 - 406	CYB	6	
16.31	20 x 2.125	CYB	8	
16.48	20 x 1 3/4	CYB	6	
17.72	CT 205 / 45 R 450	PAS	14	
17.75	20 x 1 1/4	CYB	4	
17.75	20 x 1.25	CYB	4	
17.75	20 x 1.375	CYB	4	
17.75	20 x 1 3/8	CYB	4	
18	40 x 12	AIR	32	
18	44 x 16	AIR	44	
20	46 x 16	AIR	46	
20	49 x 17	AIR	54	
20.30	24 x 2.125	CYB	8	
20.30	24 x 2.125 / 57 - 507	CYB	8	
20.31	24 x 1.75	CYB	6	
20.31	24 x 2.125	CYB	8	
20.48	24 x 1 3/4	CYB	6	

Arnco

ReSeal™ Volume Chart

(Listed by increasing Rim Diameter then by Tire Width)

Rim Diameter	Tire Designation		Tire Class	Ounces	Price
21.24	24	x 1 3/8	CYB	6	
21.52	24	x 1 1/4	CYB	6	
21.75	24	x 1.25	CYB	6	
21.75	24	x 1.375	CYB	6	
22.31	26	x 1.75	CYB	8	
22.31	26	x 2.10	CYB	8	
22.31	26	x 2.125	CYB	8	
22.48	26	x 1 3/4	CYB	8	
23.24	26	x 1 3/8	CYB	6	
23.51	26	x 1 1/4	CYB	6	
23.75	26	x 1.25	CYB	6	
23.75	26	x 1.375	CYB	6	
24.49	700	x 28	C	6	
24.79	27	x 1	CYB	4	
24.79	27	x 1 1/8	CYB	6	
24.79	27	x 1 1/4	CYB	6	
24.79	27	x 1 1/4	HP	6	